



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

Perhaps this may seem strange, but in all my experience in this section I have seen but very few of these birds. I have heard them many times, after nightfall, but previous to last week never shot but one. My first I shot out of a flock of about a dozen, two years ago, but a little later than this date; and last week in one day I shot seven. We were camped on Wall Lake, not far from Sioux Falls, and as I walked along the water's edge, they would fly out over the water giving me an excellent shot.

A couple being wounded started back to shore by swimming, and that quite rapidly, until met by my retriever, who, in turn, was pecked at savagely by the wounded birds. All that I shot were young ones. In the evening, when the sun was about an hour high, a flock of some twenty came from the high prairie north of the lake, and flew directly over it, going to the south and disappearing, still upon wing. In this flock were a few old ones. Of those seen during the day around the lake, none were old ones, and the number must have reached eighteen or twenty. At night, we were greeted by the same squawk I had heard in the fall of 1881, 140 miles west of Winnipeg; in 1880, at Skunk Lakes, in Dakota; in 1880, near this city; and last spring, some eight miles from this city. At the latter place I saw two, and one was shot by a friend and brought to me for identification, having first been examined by a majority of our best hunters, none of whom had ever seen the bird before.

Dr. Coues, I believe, did not meet with this bird in this (Missouri) region, except in the Red River country, and since I have only found it as above stated, I do not think the bird is common in this section.

By the way, *Porzana carolina* is getting quite common; in going up the Vermillion River bottoms last week I saw a great many of them. Last spring I saw four Red-breasted Rails (*Rallus elegans*), and one was shot and presented to me. Thus far I have not seen or heard of any others.—D. H. TALBOT, *Sioux City, Ia.*

**Occurrence of the Royal Tern (*Sterna regia* Gamb.) at Tangiers in Morocco.**—This species, which has been previously recorded in Irby's 'Ornithology of the Straits of Gibraltar,'\* as having been once obtained at Tangiers by M. Favier, a French collector, formerly resident there, has again occurred at that place, two specimens, both males—one a bird of the year and the other nearly mature—killed in the Bay of Tangiers on 10th December last, having been recently sent me. The former is still in my possession and the latter is now in that of Mr. Howard Saunders of London. These specimens, along with thirteen others, were killed from a flock of about thirty, by a resident naturalist, all being shot from a boat without moving from one spot. This Tern has not been observed in Europe, but has occurred several times on the Gold Coast of Africa, chiefly in spring.—JOHN J. DALGLEISH, *Edinburgh, Scotland.*

**Buffon's Skua in Western Vermont.**—I have lately examined a specimen of *Stercorarius buffoni* which was shot at West Castleton, Vermont, in

---

\* There recorded in error as *S. bergii*. Vide P. Z. S. Lond., 1876, p. 655.